

APPENDIX II.

I.—FOSSIL SHELLS COLLECTED BY THE AUTHOR FROM VARIOUS LOCALITIES OF THE NEWER PLIOCENE FORMATION IN SICILY; NAMED BY M. DESHAYES.

N. B. Those which are marked with an asterisk in this and the following lists are unknown as recent.

FOSSIL SHELLS FROM THE FLANKS OF ETNA, IMMEDIATELY ABOVE THE BAY OF TREZZA.

In clay and volcanic tuff. (See p. 79.)

Mactra triangula, <i>Broc.</i>	Natica Dillwynii, <i>Payr.</i>
Corbula nucleus.	” <i>Guillemini, Payr.</i>
Astarte, unnamed.	” <i>glaucina.</i>
” ditto.	Trochus magus.
Venus Brongniarti, <i>Payraudeau.</i>	” <i>conulus.</i>
” <i>radiata.</i>	” <i>Adansonii, Payr.</i>
” species doubtful.	Turbo rugosus.
Cytherea exoleta.	Monodonta Viellotii, <i>Payr.</i>
” <i>lincta.</i>	Turritella terebra, <i>Broc.</i>
Cardium edule.	Cerithium sulcatum.
” <i>sulcatum.</i>	Pleurotoma, new species.
Arca antiquata, <i>Lamk.</i>	Cancellaria cancellata.
” <i>barbata, Lamk.</i>	Fusus, new species.
Pectunculus glycimeris.	” new species.
” <i>pilosus.</i>	” <i>eraticulatus, Blainv.</i>
Nucula, new species.	” <i>strigosus.</i>
” <i>margaritacea.</i>	” <i>lignarius.</i>
Chama unicornis.	Murex trunculus.
Pecten ornatus.	” <i>Brandaris.</i>
” an, new species ?	” <i>erinaceus.</i>
” Bruei, <i>Payr.</i>	Triton an pileare ?
” opercularis.	Rostellaria pes pelicanii.
” unicolor.	Cassidaria echinophora.
” Jacobaeus.	Buccinum musivum, <i>Broc.</i>
Ostrea edulis.	” <i>mufabile.</i>
Anomia ephippium.	” <i>maculosum.</i>
Dentalium entalis.	” unnamed.
” * new species.	” <i>Calmelii.</i>
” strangulatum, <i>Desh.</i>	” <i>semistriatum.</i>
” novem costatum.	Colombella rastica.
Pileopsis Ungarica.	Mitra lutescens.
Calyptrea Chinensis.	Conus Mediterraneus
Natica millepunctata.	

VILLASMONDE. (See p. 65.)

<i>Maetra lactaea.</i>	<i>Natica glauцина.</i>
<i>Corbula nucleus.</i>	<i>„ canrena.</i>
<i>Pecten opercularis.</i>	<i>Rostellaria pes pelicanii</i>
<i>Dentalium novem costatum.</i>	

MILITELLO. (V. di Noto.) (See p. 65.)

<i>Cytherea chione?</i>	<i>Pecten opercularis.</i>
<i>Cardium edule.</i>	<i>Ostrea edulis.</i>
<i>Arca antiquata.</i>	<i>* Dentalium, new species.</i>
<i>Pecten Jacobaeus.</i>	<i>Buccinum prismaticum?</i>
„ varius.	<i>An Turbo rugosus ???</i>

GIRGENTI.—(*In limestone and clay.*—See p. 65.)

<i>Corbula nucleus.</i>	<i>Pecten opercularis.</i>
<i>Mactra triangula?</i> <i>Broc.</i>	<i>Dentalium entalis.</i>
<i>Pectunculus pilosus.</i>	<i>Natica millepunctata.</i>
<i>Modiola, species doubtful.</i>	<i>* Turritella tornata.</i>
<i>Pecten Jacobaeus.</i>	<i>* Buccinum semistriatum.</i>

SYRACUSE. (See p. 67.)

<i>Thracia pubescens.</i>	<i>Pecten coarctatus, Broc.</i>
<i>* Tellina?</i>	<i>„ varius.</i>
<i>Cardium sulcatum.</i>	<i>Ostrea edulis.</i>
„ edule.	<i>* Dentalium, new species.</i>
„ echinatum.	<i>„ strangulatum, Desh.</i>
<i>Isocardia cor.</i>	<i>„ sexangulare, Broc.</i>
<i>Arca antiquata.</i>	<i>Haliotis tuberculata.</i>
<i>Pectunculus pilosus.</i>	<i>Trochus conulus.</i>
„ glycimeris.	<i>Turritella terebra.</i>
<i>Pecten, an nodosus?</i>	<i>Murex trunculus?</i>
„ Jacobaeus.	<i>* Buccinum semistriatum.</i>
„ Audouini, <i>Payr.</i>	<i>Cypræa rufa.</i>
„ opercularis.	<i>Conus Mediterraneus?</i>

CALTANISSETTA.—(*In clay and yellow sand.*—See p. 67.)

<i>Lucina lactea?</i>	<i>Natica Guillemini, Payr.</i>
<i>Venus multilamella.</i>	<i>„ millepunctata.</i>
<i>Cardium echinatum.</i>	<i>Turritella subangulata, Broc.</i>
„ edule.	<i>* „ tornata, Broc.</i>
<i>Arca antiquata.</i>	<i>„ terebra.</i>
<i>Pecten Jacobaeus.</i>	<i>Cerithium vulgatum.</i>
<i>Ostrea edulis.</i>	<i>Fusus lignarius.</i>
<i>* Dentalium, new species.</i>	<i>Rostellaria pes pelicanii.</i>
„ fossile.	<i>* Buccinum semistriatum.</i>
„ sexangulare.	<i>Mitra lutescens.</i>

CALTAGIRONE. (See p. 67.)

Mactra triangula, <i>Broc.</i>	Natica Dilwynii, <i>Payr.</i>
Amphidesma, new species.	" Valenciennesii, <i>Payr.</i>
Corbula nucleus.	" Guillemini, <i>Payr.</i>
Psammobia angulata (<i>Tellina, Lin.</i>)	Scalaria tenuicostata, <i>Mich.</i>
Cytherea lincta.	Turritella terebra.
Venus multilamella.	Cerithium Latreillei, <i>Payr.</i>
Cardita sulcata, <i>Brug.</i>	* Pleurotoma, new species.
"squamosa."	" vulpecula, <i>Broc.</i>
Cardium echinatum.	" craticulata, <i>Broc.</i>
Arca antiquata.	Fusus craticulatus, <i>Blatn.</i>
* Nucula Italica, <i>Def.</i>	" lignarius.
Pecten opercularis.	" rostratus.
" Bruei, <i>Payr.</i>	Murex Brandaris.
Dentalium, new species.	Rostellaria pes pelicanii.
" entalis.	* Buccinum semistriatum.
" novem costatum.	" mutable.
Fissurella costaria, <i>Desh.</i>	* " prismaticum, <i>Broc.</i>
Calyptrea chinensis.	* " turbinellus, <i>Broc.</i>
Bulla lignaria.	Mitra lutescens.
Natica canrena.	Cyprea oryza, <i>Duclos.</i>

CASTROGIOVANNI. (See p. 67.)

Lucina lactea.	Pecten opercularis.
* Nucula Italica, <i>Def.</i>	Natica Guillemini, <i>Payr.</i>
Pecten Jacobaeus.	

VIZZINI.

Murex Brandaris.

PIAZZA.

Ostrea edulis.

VAL DI NOTO.

Pectunculus glycimeris.	Pecten opercularis.
-------------------------	---------------------

PALERMO.—(*In limestone and clay.*—See p. 65.)

* Clavagella bacillaris, <i>Desh.</i>	Tellina Donacina.
Solen coarctatus, <i>Broc.</i>	" new species.
Panopea Aldrovandi.	Lucina radula.
Thracia corbuloides, <i>Desh.</i>	" new species, a lupinus? <i>Broc.</i>
" pubescens, <i>Desh.</i>	" lactea.
Lutraria solenoides.	Astarte, new species, an incrassata?
Corbula nucleus.	" new species.

PALERMO—continued.

<i>Cytherea rugosa</i> , <i>Broc.</i>	<i>Natica Canrena.</i>
" <i>exoleta</i> .	" <i>Valenciennesii</i> , <i>Payr.</i>
" <i>Chione</i> .	<i>Scalaria communis.</i>
<i>Venus radiata</i> , <i>Broc.</i>	" <i>pseudo scalaris.</i>
" species doubtful.	<i>Solarium stramineum?</i>
<i>Cardita squamosa</i> .	<i>Trochus magus.</i>
<i>Cyprina Islandicoides</i> .	" <i>agglutinans.</i>
<i>Cardium sulcatum</i> .	" <i>cingulatus</i> , <i>Broc.</i>
" <i>edule</i> .	" <i>Adansonii</i> , <i>Payr.</i>
" <i>echinatum</i> .	" <i>conulus.</i>
" <i>Deshayesii</i> , <i>Payr.</i>	" <i>cinereus.</i>
<i>Isocardia cor</i> .	<i>Turbo rugosus.</i>
<i>Arca antiquata</i> .	<i>Turritella terebra.</i>
<i>Pectunculus pilosus</i> .	<i>Cerithium tricinctum.</i>
<i>Nucula</i> , new species.	* " <i>margaritaceum.</i>
" <i>margaritacea</i> .	* " <i>new species.</i>
<i>Chama gryphoides?</i>	<i>Pleurotoma Cordieri.</i>
" <i>unicornis</i> .	" <i>Caumarmondi</i> , <i>Mich.</i>
<i>Pecten ornatus</i> .	" <i>new species.</i>
" <i>coarctatus</i> , <i>Broc.</i>	<i>Fasciolaria tarentina.</i>
" <i>an</i> , new species.	<i>Fusus sinistrorsus</i> , <i>Desh.</i>
" <i>opercularis</i> .	" <i>strigosus.</i>
" <i>new species.</i>	* " <i>rostratus.</i>
" <i>Jacobæus</i> .	* " <i>clavatus.</i>
" <i>varius?</i>	* " <i>craticulatus.</i>
" <i>pleuronectes</i> .	* " <i>new species.</i>
<i>Ostrea cornucopiae?</i>	" <i>lignarius.</i>
" <i>edulis</i> .	<i>Ranella gigantea.</i>
" <i>Virginica</i> .	* " <i>lævigata.</i>
" <i>hippopus</i> .	<i>Murex Brandaris.</i>
<i>Terebratula truncata</i> .	" <i>trunculus.</i>
* " <i>ampulla</i> .	<i>Triton uniflossum</i> , <i>Bon.</i>
* <i>Dentalium</i> , new species.	<i>Rostellaria pes pelicanii.</i>
* " <i>fossile</i> , <i>Lin. Var.</i>	<i>Cassidaria echinophora.</i>
" <i>strangulatum</i> , <i>Desh.</i>	<i>Cassis saburon.</i>
<i>Patella bonnardii</i> , <i>Payr.</i>	<i>Dolium pomum.</i>
<i>Emarginula curvirostris</i> , <i>Desh.</i>	<i>Buccinum prismaticum</i> , <i>Broc.</i>
<i>Fissurella</i> , species doubtful.	" <i>new species.</i>
" <i>Græca</i> .	* " <i>new species.</i>
<i>Pileopsis Ungarica</i> .	* " <i>semistriatum.</i>
<i>Bulla lignaria</i> .	" <i>new species.</i>
<i>Auricula buccinea</i> .	" <i>mutable.</i>
<i>Natica millepunctata</i> .	<i>Conus Mediterraneus.</i>
" <i>Guillemini</i> , <i>Payr.</i>	

2.—FOSSIL SHELLS COLLECTED BY THE AUTHOR IN
ISCHIA, AND NAMED BY M. DESHAYES. (See p. 126.)

Solen coaretatus, <i>Broc.</i>	Melania Cambessedesii, <i>Payr.</i>
Lucina lupinus, <i>Broc.</i>	Natica Guillemini, <i>Payr.</i>
Venus radiata, <i>Broc.</i>	” Valenciennesii? <i>Payr.</i>
” verrucosa.	Trochus magus.
Cardium sulcatum.	” conuloides.
” edule.	” new species.
Pectunculus violaceascens.	Turritella terebra.
Arca, new species, An arca quoyi?	Cerithium Latreillei, <i>Payr.</i>
” Payr.	” new species.
Nucula margaritacea.	” vulgatum.
Pecten varius.	” doliolum, <i>Broc.</i>
” Jacobaeus.	Rostellaria pes pelicanii.
” Dumasii, <i>Payr.</i>	Buccinum prismaticum, <i>Broc.</i>
” opercularis.	Cypræa Jurida.
Dentalium novem costatum.	

The four following shells have since been sent to me from Ischia. They are all of recent species:—

Pectunculus pilosus.	Trochus crenulatus.
Natica glauicina?	Turritella duplicata.

FOSSIL SHELLS FROM THE WESTERN BORDERS OF THE
RED SEA, COLLECTED BY MR. JAMES BURTON; COM-
MUNICATED BY G. B. GREENOUGH, ESQ., P.G.S.

Lutraria solenoides?	Cypicardia.
” plicatella?	Chama lazarus.
Mactra stultorum?	Tridacna squamosa.
Corbula.	Area scapha.
Psammobia.	” antiquata.
Tellina lingua felis.	” Noæ.
” rugosa.	Pectunculus pectiniformis.
” virgata.	Pecten maximus.
” rostrata.	” pes felis.
Lucina globosa.	Spondylus gaderopus.
Cyprina.	Parmophorus elegans.
Cytherea tigerina.	Fissurella Græca.
” picta.	Bulla ampulla.
” castrensis.	” solida.
” erycina.	Helix desertum.
” scripta?	Nerita.
Venus geographicæ.	Natica melanostoma.
” reticulata.	” mammilaris.
” ovata?	” mamilla.
” paphia.	” Græca.
Cardium rugosum.	” alba.
” Æolicum?	Haliotis tuberculata?
” retusum.	” striata?
Cardita turgida.	Tornatella.
” calyculata.	Pyramidella.

RED SEA SHELLS—continued.

Solarium perspectivum.	Dolium pomum.
Trochus maculatus.	Buccinum coronatum.
" virgatus.	" arcularia.
" Mauritanus.	" senticosum.
Monodonta tectum.	Terebra crenulata.
" Pharaonis.	" subulata.
" Ægyptica.	" myosurus.
Turbo chrysostomus.	" maculata.
" petholatus.	" duplicata.
Turritella.	Colombella turturina ?
Cerithium nodulosum.	Mitra striatula.
" sulcatum.	" coronata ?
" virgatus.	Cypræa mappa.
Pleurotoma virgo.	" Arabica.
Turbinella lineolata.	" talpa.
Cancellaria contabulata.	" caurica.
Fasciolaria trapezium.	" vitellus.
Pyrula abbreviata.	" erosa.
" rapa.	" carneola.
" citrina.	" turdus ?
" reticulata.	" lurida ?
" francolinus.	" flaveola ?
Ranella granifera.	" nucleus.
" crumena.	" stercus muscarum ?
Murex crassispina.	" caput serpentis ?
" scorpio.	Ancillaria.
Triton variegatum.	Oliva erythrostoma.
" lampas.	Conus arenatus.
" pileare.	" generalis.
" maculosum.	" literatus ?
Strombus gigas (young).	" betulinus.
" bituberculatus.	" striatus.
" lineolatus.	" episcopus.
" gibberulus.	" tessellatus.
" terebellatus.	" textile.
Cassis vibex.	" nussatella.
" saburon.	" clavus.
" erinaceus.	" terebra ? ?
Ricinula arachnoides.	" capitaneus.
Dolium perrix.	Terebellum subulatum.

The above shells were named by Mr. GRAY, F.R.S., and Mr. Frembley.

FOSSIL SHELLS COLLECTED BY THE AUTHOR FROM
THE LOESS OF THE VALLEY OF THE RHINE.

(See p. 151.)

Helix obvoluta, Drap.	Helix striata, Drap.
" ericetorum, ib.	Succinea elongata.
" carthusianella, ib.	Cyclas palustris, Drap.
" plebeium, ib.	" lacustris, ib.
" pomatia.	Valvata piscinalis.
" nemoralis, ib.	Limnea ovata, Drap.
" fruticum, Drap.	Paludina impura.
" arbustorum.	

SIENNA. (See pp. 160 and 163.)

Serpula arenaria.	* Pleurotoma rotata, <i>Broc.</i>
* " ditto, var.	* " reticulata, <i>Broc.</i>
* " new species,	* " textilis, <i>Broc.</i>
* " glomerata.	* " turricula, <i>Broc.</i>
Mactra triangula.	* " dimidiata, <i>Broc.</i> (den-
Tellina complanata.	tata, <i>Lamk.</i>)
* Cytheraea rugosa, <i>Broc.</i>	* " dimidiata, var.
Cardita intermedia.	Cancellaria cancellata.
* " new species.	* " varicosa.
Cardium edule.	* " Lyrata.
Arca antiquata.	Fusus lignarius
Pectunculus pilosus.	* " mitræformis.
* " nummarius.	* " subulatus.
* " auritus.	* " longiroster.
Nucula marginacea.	* " thiara, <i>Broc.</i>
Pecten Jacobæus.	* Ranella bimarginata.
* " opercularis.	Murex cornutus, var.
* " striatus?	* " tubifer.
* " laticostatus.	* " horridus.
Ostrea edulis, <i>Lin.</i>	* " spirispina.
* " edulis? junior.	* " pomum.
* " (nobis incognita).	* " bracteatus, <i>Broc.</i>
Dentalium sexangulare.	* " new species.
* " fossile.	Triton unifilosus, <i>Bonelli.</i>
Auricula buccinea, <i>Desh.</i>	* " reticularis, <i>Broc.</i>
Melanopsis buccinoides.	* " new species.
Natica glauциna.	Rostellaria pes pelicanii.
* " punctata.	* Strombus Bonelli, <i>Brong.</i>
* " Marochiensis.	Cassis saburon.
Trochus fermonii, <i>Payr.</i>	Buccinum clathratum? <i>Broc.</i>
* " new species, with its colour.	* " serratum, <i>Broc.</i>
Turbo rugosus.	* " costulatum.
Turritella terebra.	* " gibbosulum.
* " imbricataria, <i>Broc.</i>	* Terebra plicaria.
* " subangulata.	* " duplicata.
* " tornata.	* Mitra pyramidella, <i>Broc.</i>
* " varicosa.	* " scrobiculata.
Cerithium vulgatum.	Marginella cypræola.
* " doliolum.	* Conus antediluvianus, <i>Broc.</i>
* " tricinctum.	* " ponderosus.
* " new species.	* " mercator.
* " new species.	* " pyrula, <i>Broc.</i>
* Pleurotoma cataphracta.	* " betulinoides.
* " interrupta, <i>Broc.</i>	* " virginalis.
* " oblonga, <i>Broc.</i>	

SECONDARY FOSSIL SHELLS.

FOSSIL SHELLS COMMON TO THE MAESTRICH BEDS
AND THE WHITE CHALK; COMMUNICATED BY
M. DESHAYES. (See p. 325.)

Catillus (<i>Inoceramus</i>) Cuvieri ? (specimens imperfect.)	Crania Parisiensis.
Plagiostoma spinosa.	Terebratula octoplicata.
", Hoperi.	", carnea.
Pecten fragilissimus.	", pumilus (<i>magus</i> , <i>Sow.</i>)
Ostrea vesicularis.	", Defrancii.
", carinata.	Belemnites mucronatus.

FOSSIL SHELLS COMMON TO THE MAESTRICH BEDS
AND THE UPPER GREEN-SAND; COMMUNICATED
BY M. DESHAYES. (See p. 325.)

Plagiostoma spinosa.	Belemnites mucronatus.
Ostrea vesicularis.	Baculites Faujasii.
", carinata.	
