THE VARIATION

OF

ANIMALS AND PLANTS

UNDER

DOMESTICATION

VOLUME ONE

CONTENTS.

INTRODUCTION

.. Pages 1-14

CHAPTER I.

DOMESTIC DOGS AND CATS.

- ANCIENT VARIETIES OF THE DOG—RESEMBLANCE OF DOMESTIC DOGS IN VARIOUS COUNTRIES TO NATIVE CANINE SPECIES—ANIMALS NOT ACQUAINTED WITH MAN AT FIRST FEARLESS—DOGS RESEMBLING WOLVES AND JACKALS—HABIT OF BARKING ACQUIRED AND LOST —FERAL DOGS—TAN-COLOURED EYE-SPOTS—PERIOD OF GESTATION —OFFENSIVE ODOUR—FERTILITY OF THE RACES WHEN CROSSED— DIFFERENCES IN THE SEVERAL RACES IN PART DUE TO DESCENT FROM DISTINCT SPECIES—DIFFERENCES IN THE SKULL AND TEETH —DIFFERENCES IN THE BODY, IN CONSTITUTION—FEW IMPORTANT DIFFERENCES HAVE BEEN FIXED BY SELECTION—DIRECT ACTION OF CLIMATE—WATER-DOGS WITH PALMATED FEET—HISTORY OF THE CHANGES WHICH CERTAIN ENGLISH RACES OF THE DOG HAVE GRADUALLY UNDERGONE THROUGH SELECTION—EXTINCTION OF THE LESS IMPROVED SUB-BREEDS.

CHAPTER II.

HORSES AND ASSES.

HORSE.—DIFFERENCES IN THE BREEDS—INDIVIDUAL VARIABILITY OF—DIRECT EFFECTS OF THE CONDITIONS OF LIFE—CAN WITHSTAND MUCH COLD—BREEDS MUCH MODIFIED BY SELECTION—COLOURS OF THE HORSE-DAPPLING-DARK STRIPES ON THE SPINE, LEGS, SHOULDERS, AND FOREHEAD-DUN-COLOURED HORSES MOST FRE-QUENTLY STRIPED-STRIPES PROBABLY DUE TO REVERSION TO THE PRIMITIVE STATE OF THE HORSE.

ASSES. — BREEDS OF—COLOUR OF—LEG AND SHOULDER-STRIPES— SHOULDER-STRIPES SOMETIMES ABSENT, SOMETIMES FORKED.

Pages 51-67

CHAPTER III.

PIGS-CATTLE-SHEEP-GOATS.

- PIGS BELONG TO TWO DISTINCT TYPES, SUS SCROFA AND INDICUS-TORFSCHWEIN-JAPAN PIGS-FERTILITY OF CROSSED PIGS-CHANGES IN THE SKULL OF THE HIGHLY CULTIVATED RACES-CONVERGENCE OF CHARACTER-GESTATION-SOLID-HOOFED SWINE-CURIOUS AP-PENDAGES TO THE JAWS-DECREASE IN SIZE OF THE TUSKS-YOUNG PIGS LONGITUDINALLY STRIPED - FERAL PIGS-CROSSED BREEDS.
- CATTLE.—ZEBU A DISTINCT SPECIES—EUROPEAN CATTLE PROBABLY DESCENDED FROM THREE WILD FORMS — ALL THE RACES NOW FERTILE TOGETHER—BRITISH PARK CATTLE—ON THE COLOUR OF THE ABORIGINAL SPECIES—CONSTITUTIONAL DIFFERENCES—SOUTH AFRICAN RACES—SOUTH AMERICAN RACES—NIATA CATTLE—ORIGIN OF THE VARIOUS RACES OF CATTLE.
- SHEEP.—REMARKABLE RACES OF—VARIATIONS ATTACHED TO THE MALE SEX—ADAPTATIONS TO VARIOUS CONDITIONS—GESTATION OF —CHANGES IN THE WOOL—SEMI-MONSTROUS BREEDS.

CHAPTER IV.

DOMESTIC RABBITS.

DOMESTIC RABBITS DESCENDED FROM THE COMMON WILD RABBIT-ANCIENT DOMESTICATION-ANCIENT SELECTION-LARGE LOP-EARED RABBITS-VARIOUS BREEDS-FLUCTUATING CHARACTERS-ORIGIN OF THE HIMALAYAN BREED-CURIOUS CASE OF INHERITANCE-FERAL RABBITS IN JAMAICA AND THE FALKLAND ISLANDS-PORTO SANTO FERAL RABBITS - OSTEOLOGICAL CHARACTERS - SKUTL- SKULL OF HALF-LOP RABBITS — VARIATIONS IN THE SKULL ANALAGOUS TO DIFFERENCES IN DIFFERENT SPECIES OF HARES— VERTEBRÆ—STERNUM—SCAPULA—EFFECTS OF USE AND DISUSE ON THE PROPORTIONS OF THE LIMBS AND BODY—CAPACITY OF THE SKULL AND REDUCED SIZE OF THE BRAIN—SUMMARY ON THE MODIFICATIONS OF DOMESTICATED RABBITS Pages 107-136

CHAPTER V.

DOMESTIC PIGEONS.

ENUMERATION AND DESCRIPTION OF THE SEVERAL BREEDS-INDIVIDUAL VARIABILITY-VARIATIONS OF A REMARKABLE NATURE-OSTEO-LOGICAL CHARACTERS: SKULL, LOWER JAW, NUMBER OF VERTEBRÆ -CORRELATION OF GROWTH: TONGUE WITH BEAK; EYELIDS AND NOSTRILS WITH WATTLED SKIN-NUMBER OF WING-FEATHERS AND LENGTH OF WING-COLOUR AND DOWN-WEBBED AND FEATHERED FEET-ON THE EFFECTS OF DISUSE-LENGTH OF FEET IN CORRE-LATION WITH LENGTH OF BEAK-LENGTH OF STERNUM, SCAPULA, AND FURCULUM-LENGTH OF WINGS-SUMMARY ON THE POINTS OF DIFFERENCE IN THE SEVERAL BREEDS 137-188

CHAPTER VI.

PIGEONS—continued.

ON THE ABORIGINAL PARENT-STOCK OF THE SEVERAL DOMESTIC RACES —HABITS OF LIFE—WILD RACES OF THE ROCK-PIGEON—DOVECOT-PIGEONS—PROOFS OF THE DESCENT OF THE SEVERAL RACES FROM COLUMBA LIVIA—FERTILITY OF THE RACES WHEN CROSSED—RE-VERSION TO THE PLUMAGE OF THE WILD ROCK-PIGEON—CIRCUM-STANCES FAVOURABLE TO THE FORMATION OF THE RACES—AN-TIQUITY AND HISTORY OF THE PRINCIPAL RACES—MANNER OF THEIR FORMATION—SELECTION — UNCONSCIOUS SELECTION — CARE TAKEN BY FANCIERS IN SELECTING THEIR BIRDS—SLIGHTLY DIF-FERENT STRAINS GRADUALLY CHANGE INTO WELL-MARKED BREEDS —EXTINCTION OF INTERMEDIATE FORMS—CERTAIN BREEDS REMAIN PERMANENT, WHILST OTHERS CHANGE—SUMMARY.. .. 189–235

CHAPTER VII.

FOWLS.

BRIEF DESCRIPTIONS OF THE CHIEF BREEDS—ARGUMENTS IN FAVOUR OF THEIR DESCENT FROM SEVERAL SPECIES—ARGUMENTS IN FAVOUR OF ALL THE BREEDS HAVING DESCENDED FROM GALLUS BANKIVA — REVERSION TO THE PARENT-STOCK IN COLOUR—ANALOGOUS VARIATIONS—ANCIENT HISTORY OF THE FOWL—EXTERNAL DIF-FERENCES BETWEEN THE SEVERAL BREEDS—EGGS—CHICKENS— SECONDARY SEXUAL CHARACTERS—WING- AND TAIL- FEATHERS, VOICE, DISPOSITION, ETC.—OSTEOLOGICAL DIFFERENCES IN THE SKULL, VERTEBRÆ, ETC.—EFFECTS OF USE AND DISUSE ON CERTAIN PARTS—CORBELATION OF GROWTH Pages 236-289

CHAPTER VIII.

DUCK-GOOSE-PEACOCK-TURKEY-GUINEA-FOWL-CANARY-BIRD-GOLD-FISH-HIVE-BEES-SILK-MOTHS.

- DUCKS, SEVERAL BREEDS OF PROGRESS OF DOMESTICATION ORIGIN OF FROM THE COMMON WILD-DUCK — DIFFERENCES IN THE DIF-FERENT BREEDS — OSTEOLOGICAL DIFFERENCES — EFFECTS OF USE AND DISUSE ON THE LIMB-BONES.
- GOOSE, ANCIENTLY DOMESTICATED—LITTLE VARIATION OF--SEBAS-TOPOL BREED.
- PEACOCK, ORIGIN OF BLACK-SHOULDERED BREED.
- TURKEY, BREEDS OF---CROSSED WITH THE UNITED STATES SPECIES ---EFFECTS OF CLIMATE ON.
- GUINEA-FOWL, CANARY-BIRD, GOLD-FISH, HIVE-BEE.

CHAPTER IX.

CULTIVATED PLANTS: CEREAL AND CULINARY PLANTS.

- PRELIMINARY REMARKS ON THE NUMBER AND PARENTAGE OF CULTIVATED PLANTS—FIRST STEPS IN CULTIVATION—GEOGRAPHICAL DISTRIBUTION OF CULTIVATED PLANTS.
- CEREALIA. DOUBTS ON THE NUMBER OF SPECIES. —— WHEAT: VARIETIES OF — INDIVIDUAL VARIABILITY — CHANGED HABITS — SELECTION — ANCIENT HISTORY OF THE VARIETIES. — MAIZE : GREAT VARIATION OF — DIRECT ACTION OF CLIMATE ON.
- CULINARY PLANTS.—CABBAGES: VARIETIES OF, IN FOLIAGE AND STEMS, BUT NOT IN OTHER PARTS—PARENTAGE OF—OTHER SPECIES OF BRASSICA.—PEAS: AMOUNT OF DIFFERENCE IN THE SEVERAL KINDS, CHIEFLY IN THE PODS AND SEED—SOME VARIETIES CON-STANT, SOME HIGHLY VARIABLE—DO NOT INTERCROSS.—BEANS. —POTATOES: NUMEROUS VARIETIES OF—DIFFER LITTLE EXCEPT IN THE TUBERS—CHARACTERS INHERITED ... Pages 322-351

CHAPTER X.

PLANTS continued—FRUITS—ORNAMENTAL TREES— FLOWERS.

- FRUITS—GRAPES—VARY IN ODD AND TRIFLING PARTICULARS.— MULBERRY—THE ORANGE GROUP—SINGULAR RESULTS FROM CROSS-ING.— PEACH AND NECTARINE — BUD-VARIATION — ANALOGOUS VARIATION—RELATION TO THE ALMOND.— APRICOT.— PLUMS— VARIATION IN THEIR STONES.— CHERRIES—SINGULAR VARIETIES OF.— APPLE.— PEAR.— STRAWBERRY—INTERBLENDING OF THE OBIGINAL FORMS.— GOOSEBERRY—STEADY INCREASE IN SIZE OF THE FRUIT—VARIETIES OF.— WALNUT.— NUT.— CUCURBITA-CEOUS PLANTS—WONDERFUL VARIATION OF.
- ORNAMENTAL TREES—THEIR VARIATION IN DEGREE AND KIND —ASH-TREE—SCOTCH-FIR—HAWTHORN.

CHAPTER XI.

ON BUD-VARIATION, AND ON CERTAIN ANOMALOUS MODES OF REPRODUCTION AND VARIATION.

BUD-VARIATION IN THE PEACH, PLUM, CHERRY, VINE, GOOSEBERRY, CURRANT, AND BANANA, AS SHOWN BY THE MODIFIED FRUIT—IN FLOWERS: CAMELLIAS, AZALEAS, CHRYSANTHEMUMS, ROSES, ETC. — ON THE RUNNING OF THE COLOUR IN CARNATIONS — BUD-VARIATIONS IN LEAVES—VARIATIONS BY SUCKERS, TUBERS, AND BULBS—ON THE BREAKING OF TULIPS—BUD-VARIATIONS GRADUATE INTO CHANGES CONSEQUENT ON CHANGED CONDITIONS OF LIFE— GRAFT-HYBRIDS—ON THE SEGREGATION OF THE PARENTAL CHARAC-TERS IN SEMINAL HYBRIDS BY BUD-VARIATION—ON THE DIRECT OR IMMEDIATE ACTION OF FOREIGN POLLEN ON THE MOTHER-PLANT—ON THE EFFECTS OF A PREVIOUS IMPREGNATION ON THE SUBSEQUENT OFFSPRING OF FEMALE ANIMALS—CONCLUSION AND SUMMARY Pages 397-444

CHAPTER XII.

INHERITANCE.

WONDERFUL NATURE OF INHERITANCE—PEDIGREES OF OUR DOMESTI-CATED ANIMALS—INHERITANCE NOT DUE TO CHANCE—TRIFLING CHARACTERS INHERITED—DISEASES INHERITED—PECULIARITIES IN THE EYE INHERITED—DISEASES IN THE HORSE—LONGEVITY AND VIGOUR—ASYMMETRICAL DEVIATIONS OF STRUCTURE—POLYDAC-TYLISM AND REGROWTH OF SUPERNUMERARY DIGITS AFTER AM-PUTATION—CASES OF SEVERAL CHILDREN SIMILARLY AFFECTED FROM NON-AFFECTED PARENTS — WEAK AND FLUCTUATING IN-HERITANCE: IN WEEPING TREES, IN DWARFNESS, COLOUR OF FRUIT AND FLOWERS—COLOUR OF HORSES—NON-INHERITANCE IN CERTAIN CASES—INHERITANCE OF STRUCTURE AND HABITS OVERBORNE BY HOSTILE CONDITIONS OF LIFE, BY INCESSANTLY RECURRING VARIA-BILITY, AND BY REVERSION—CONCLUSION 445-473

LIST OF ILLUSTRATIONS.

FIG.		PAGE
1.	DUN DEVONSHIRE PONY, WITH SHOULDER, SPINAL, AND LEG	
	STRIPES	5 9
2.	Head of Japan or Masked Pig	73
3.	HEAD OF WILD BOAR, AND OF "GOLDEN DAYS," A PIG	
	OF THE YORKSHIRE LARGE BREED	75
4.	OLD IRISH PIG WITH JAW-APPENDAGES	79
5.	Half-lop Rabbit	112
6.	Skull of Wild Rabbit	122
7.	Skull of large Lop-eared Rabbit	122
8.	PART OF ZYGOMATIC ARCH, SHOWING THE PROJECTING END	
	OF THE MALAR BONE OF THE AUDITORY MEATUS, OF	
	RABBITS	123
9.	POSTERIOR END OF SKULL, SHOWING THE INTER-PARIETAL	
	BONE, OF RABBITS	123
10.	Occipital Foramen of Rabbits	123
11.	Skull of Half-lop Rabbit	124
12.	ATLAS VERTEBRÆ OF RABBITS	126
13.	THIRD CERVICAL VERTEBRÆ OF RABBITS	127
14.	DORSAL VERTEBRÆ, FROM SIXTH TO TENTH INCLUSIVE, OF	
	Rabbits	128
15.	TERMINAL BONE OF STERNUM OF RABBITS	128
16.	ACROMION OF SCAPULA OF RABBITS	129
17.	THE ROCK-PIGEON, OR COLUMBA LIVIA	141
18.	ENGLISH POUTER	144
19.	English Carrier	147
20.	English Barb	152
21.	English Fantail	154
	AFRICAN OWL	157
	SHORT-FACED ENGLISH TUMBLER	160

LIST OF ILLUSTRATIONS.

			PAGE
24.	SKULLS OF PIGEONS, VIEWED LATERALLY	••	172
25.	Lower JAWS OF PIGEONS, SEEN FROM ABOVE	••	173
26.	SKULL OF RUNT, SEEN FROM ABOVE	••	174
27.	LATERAL VIEW OF JAWS OF PIGEONS	••	174
28.	Scapulæ of Pigeons	••	176
29.	FURCULA OF PIGEONS	••	176
30.	Spanish Fowl	••	238
31.	HAMBURGH FOWL	••	239
3 2.	Polish Fowl	••	240
33.	Occipital Foramen of the Skulls of Fowls	••	274
34.	Skulls of Fowls, viewed from above, a little of)B-	
	LIQUELY	••	275
35.	LONGITUDINAL SECTIONS OF SKULLS OF FOWLS, VIEW	ED	
	LATERALLY	••	277
36.	Skull of Horned Fowl, viewed from above, a litt	LE	
	OBLIQUELY	••	279
37	SIXTH CERVICAL VERTEBRÆ OF FOWLS, VIEWED LATERAL	LY	281
38.	EXTREMITY OF THE FURCULA OF FOWLS, VIEWED LATE	ER-	
	ALLY	••	282
39.	Skulls of Ducks, viewed laterally, reduced to tw	70-	
	THIRDS OF THE NATURAL SIZE	••	297
4 0.	CERVICAL VERTEBRÆ OF DUCKS, OF NATURAL SIZE	••	298
41.	Pods of the Common Pea	••	347
4 2.	PEACH AND ALMOND STONES, OF NATURAL SIZE, VIEW	ED	
	EDGEWAYS	••	358
43.	PLUM STONES, OF NATURAL SIZE, VIEWED LATERALLY	••	366

xxii

(xxiii)

TABLE OF PRINCIPAL ADDITIONS AND CORRECTIONS.

First Edition. Vol. I.	Second Edition. Vol. 1.	
Page 34	Page 35	Dr. Burt Wilder's observations on the brains of different breeds of the Dog.
38	40	Degeneracy of Dogs imported into Guinea.
51	54	Difference in the number of the lumbar vertebræ in the races or species of the Horse.
102	106	Hairy appendages to the throats of Goats.
162	170	Sexual differences in colour in the domestic Pigeon.
217	228	Movements like those of the Tumbler-pigeon, caused by injury to the brain.
290	306	Additional facts with respect to the Black-shouldered Peacock.
296	312	Ancient selection of Gold fish in China.
314	332	Major Hallett's 'Pedigree Wheat.'
326	345	The common radish descended from Raphanus raph- anistrum.
374	398	Several additional cases of bud-variation given.
396	420	An abstract of all the cases recently published of graft-hybrids in the potato, together with a gene- ral summary on graft-hybridisation.
399	429	An erroneous statement with respect to the pollen of the date-palm affecting the fruit of the Cham- ærops omitted.
400	430	New cases of the direct action of pollen on the mother-plant.
404	43 5	Additional and remarkable instances of the action of the male parent on the future progeny of the
Vol. II.	4-0	female.
14	459	An erroneous statement corrected, with respect to the regrowth of supernumerary digits after am- putation.

(xxiv)

TABLE OF PRINCIPAL ADDITIONS AND CORRECTIONS. (Continued.)

First Edition. Vol. II.	Second Edition. Vol. I.	
Page 23	Page 467	Additional facts with respect to the inherited effects of circumcision.
23	467	Dr. Brown-Séquard on the inherited effects of opera- tions on the Guinea-pig.
24	469	Other cases of inherited mutilations.
10	Voi. 11.	
43	17	An additional case of reversion due to a cross.
72	48	Inheritance as limited by sex.
105	83	Two varieties of maize which cannot be crossed.
120	99	Some additional facts on the advantages of cross- breeding in animals.
123	103	Discussion on the effects of close interbreeding in the case of man.
135	117)	Additional error of mlanta stavila with mollon from
to	to }	Additional cases of plants sterile with pollen from
141	122	the same plant.
149	131	Mr. Sclater on the infertility of animals under con- finement.
152	134	The Aperea a distinct species from the Guinea-pig.
230	215	Prof. Jäger on hawks killing light-coloured pigeons.
273	262	Prof. Weismann on the effects of isolation in the development of species.
281	271	The direct action of the conditions of life in causing variation.
317	309	Mr. Romanes on rudimentary parts.
324	316)	· •
to	to	Some additional cases of correlated variability.
328	327	
339	333	On Geoffroy St. Hilaire's law of "soi pour soi."
357	349	The chapter on Pangenesis has been largely altered
to	to }	and re-modelled; but the essential principles re-
404	399 ∫	main the same.

THE VARIATION

OF

ANIMALS AND PLANTS

UNDER

DOMESTICATION

VOLUME ONE