

# INDEX

- Abnormal abdomen, 28-29, 32, 33  
Abraxas, 175-178, 192, 248  
  type, 173-177, 180  
Albinism, 67  
Albinos, 248  
Allelomorphs, 23, 59, 60  
Allen, 152  
Altenburg, 85, 146  
Amphibians, 114  
Ancyracanthus cystidicola, 39-44  
Andalusian fowls, 26, 32  
Androgenetic, 189  
Annelids, 114  
Antheridia, 152  
Antirrhinum, 221  
Aphids, 197, 207  
Aphid, bearberry, 184  
Apotettix, 146  
Aphis avenæ, 208  
Archegonia, 152  
Ascaris, 51, 52, 100, 160  
  *nigrovenosa*, 196  
Assortment, 73-79  
Atavistic type, 252 253
- Baltzer, 215-217  
Banta, 194  
Bar-eyed, 31, 120, 121, 250  
Bataillon, 189  
Bates, 245  
Bateson, 25, 70, 85, 115-117  
Batracoseps, 46-49, 100, 113  
Baur, 85, 135, 220-222, 250  
Beaded wing, 257-260  
Bean, Florida velvet, 255  
  Lyon, 255  
Beans, 204  
Bearberry aphid, 184  
Bee, 180, 181, 197, 198  
Belling, 255  
Bergson, 267  
Bifid wing, 119  
Bion, 268
- Biophor, 234  
Bird, 174  
Biston, 53, 164  
Black fly, 30, 31, 63, 81-83, 87-90, 96,  
  123, 124, 139-144  
Bonnet, 234, 235  
Boveri, 51, 52, 160, 213-215, 223,  
  224, 231  
Brachet, 189  
Bridges, 55, 97, 114, 122, 127, 129,  
  138, 157, 159, 191, 200, 246  
Bursa pastoris, 71
- Carothers, 74-77  
Castle, 86, 87, 131, 132, 146, 256  
Castration, 244  
Chamberlain, 245  
Chromosomes, 39-58, 73, 96-117  
Circotettix, 74  
Cladocerans, 186  
Clarke, W. T., 210  
Clausen, 233  
Cobs of corn, 249  
Color blindness, 170  
Confluent wing, 272  
Conjugation, 49, 50  
Conklin, 224, 225, 227  
Contamination, 34  
Corn, 85, 135, 229, 249, 252  
Correns, 219-220, 230  
Criss-cross inheritance, 176  
Crossing over, 87-95, 96-117, 131  
Cuénot, 25, 256  
Curved wing, 96, 124, 140-144  
Cut wing, 122, 248  
Ctenolabrus, 54, 232  
Cynthia, 227  
Cytoplasmic inheritance, 219-226
- Dachs, 123  
  deficiency, 124  
Daphnians, 197  
Darwin, 234, 267, 269

- Davenport, 33, 34  
 Deficiency, 159  
 Delage, 188  
 Dichete, 261, 262  
*Diffugia corona*, 207  
 Digby, 151  
 Dilina, 164  
 Diluting factor, 70  
 Diploid, 84, 153-154  
 Disjunction, 23  
 Doncaster, 55, 164, 177, 192, 193  
 Dominance, 25, 60  
 Double crossing over, 119  
 Driesch, 231, 242  
*Drosera longifolia*, 160  
   *rotundifolia*, 160  
*Drosophila busckii*, 57, 86, 135  
   *funebria*, 273  
   *melanica*, 57  
   *melanogaster*, 27, 28, 30, 31, 37,  
     54, 57, 63, 66, 80, 84, 85, 87,  
     94-96, 113-115, 118, 127, 129,  
     130, 133, 134, 139, 143, 145, 146,  
     157, 159, 167, 170, 176, 177, 190,  
     191, 198-200, 236-238, 240, 248,  
     249, 251, 253, 256-258, 260, 263,  
     270, 271  
   *repleta*, 86, 135  
   *virilis*, 85, 135, 272  
 Dumpy wing, 66, 67  
 Duplication, 159  
  
 East, 229, 230  
 Ebony fly, 27, 63  
 Echinus eye, 122  
 Emerson, 249  
 Endosperm, 229, 230  
 Engledow, 85  
 Enzyme, 245  
 Eosin eye, 70  
 Equation division, 43  
 Euglena, 185, 187  
 Ewing, 208  
  
 Federley, 54, 162  
 Flinty corn, 229  
 Flowery corn, 229  
 Fish, 54  
 Forked bristles, 92, 93, 122, 272  
 Four-o'clock, 25, 220  
  
 Fowls, 239, 270  
 Fruit fly, 252, 272  
*Fundulus*, 54, 232  
  
 Game bantam, 244  
 Gamete, 84  
 Gametic lethal, 254, 265  
 Garnet eye, 122  
 Gates, 149, 155, 156  
 Geerts, 155  
 Gene, 234-246  
 Genes, the order of, 118-125  
 Germ-plasm, 234, 239  
 Gigas, *Oenothera*, 149, 265  
 Goldschmidt, 245  
 Goodale, 86, 180, 244  
 Goodspeed, 233, 256  
 Gowen, 127, 146  
 Grasshopper, 74, 75  
 Gregory, 85, 146, 150  
 Groundsel, 85  
 Grouse locust, 146  
 Guinea pigs, albino, 271  
 Guyer, 136, 137, 170, 174, 178, 179  
 Gynandromorph, 190-193  
 Gypsy moth, 194  
  
 Hæmophilia, 170  
 Hairless fly, 273  
 Hance, 157  
 Haploid, 55, 153, 154  
 Harrison, 55, 164  
 Hayes, 229, 230  
 Hegner, 207  
 Herbst, 213, 217, 218  
 Herlandt, 188  
 Hermaphrodite, 197  
   plant, 154  
 Hertwig, G., 188  
 Hertwig, O., 114, 188  
 Hertwig, R., 188  
 Heterozygous, 23  
 Homozygous, 23  
 Hornet, 181  
*Hydatina senta*, 185  
  
 Individuality of the chromosomes,  
   51  
 Insects, 114  
 Interference, 126-132

- Internal secretion, 244  
 Intersexes, 193  
 Janssens, 46, 48, 102, 110, 112  
 Jennings, 207  
 Jesenko, 256  
 Johannsen, 204-206, 246  
 Jones, 85  
 Keeble, 150  
 King, 231  
 Kuschakewitsch, 188  
 Kuttner, O., 194  
 Lamarckian theory, 267  
 Langshan, 177-180  
 Leptotene thread, 100, 107  
 Lethal, 254, 257-265  
   factor, 198-200  
 Linkage, 80-86, 94  
   groups, 133  
 Lippincott, 26  
 Little, 256  
 Liverwort, 152  
 Loeb, J., 189, 225, 226, 231, 245  
 Lutz, A., 155, 157  
 Lymantria dispar, 194  
   japonica, 194  
 Maize, 229  
 Man, 137, 170, 200  
 McClung, 165  
 Marchal, Élie and Émile, 151-154  
 Maréchal, 49  
 Marshall, 35  
 Maternal inheritance, 227-233  
 Maturation division, 43  
 May, 250  
 Melandrium, 221  
 Melanic forms, 248, 271  
 Men, 136  
 Mendel, 15-17, 19, 22, 23, 37, 38, 85,  
   236  
 Mendelism, 36  
 Mendel's first law, 19-38, 73  
   second law, 59-72, 79  
 Menidia, 232  
 Metapodius, 57  
 Metz, 57, 85, 135, 137, 272  
 Meves, 181, 182  
 Mice, albino, 271  
 Miniature wing, 66, 67, 91-93  
 Mirabilis jalapa, 25, 32, 219, 220  
 Mitotic division, 40  
 Modifying genes, 246  
 Moenkhaus, 55  
 Moore, 231  
 Morgan, 35, 112, 191  
 Morris, 55  
 Moss, 151-154  
 Moths, 55  
 Mouse, 67, 68, 70, 135, 137  
   albino, 70  
   blue, 70  
   chocolate, 70  
   silver-fawn, 70  
   yellow, 257  
 Muller, 35, 85, 127, 129, 130, 150,  
   258, 260  
 Mulsow, 39, 41  
 Multiple Allelomorphs, 251-254  
 Mutation, 247-273  
 Nabours 37, 86, 146  
 Natural selection, 267-270  
 Nicotiana sylvestris, 256  
   tabacum, 256  
 Non-disjunction, 200-203  
 Notch, 35  
 Notch wing, 248  
 Nova Scotia stock, 143, 144  
 Oats, 85, 135  
 Oenothera lœta, 264  
   Lamarckiana, 53, 85, 149, 155,  
   262-264  
   scintillans, 157  
   velutina, 264  
 Ouslow, 245  
 Oögonia, 154  
 Orthogenesis, 266  
 Osawa, 256  
 Pachytene thread, 49  
 Packard, 188, 189  
 Paleontologists, 266  
 Parthenogenesis, 39, 180, 204-211  
   artificial, 188, 189  
 Pea comb, 68, 69  
 Pea, Garden, 19-23, 32, 59-62, 85  
   Palestine, 256  
   wild, 270

- Peach eye, 261  
 Pelargonium, 221  
 Petrunkevitch, 198  
 Phaseolus vulgaris, 204  
 Phillips, 207  
 Phrynotettix, 104-110  
 Phylloxera caryocaulis, 183  
 Phylloxerans, 197  
 Pinney, 55, 232  
 Pisum humile, 256  
   sativum, 19, 134  
 Plough, 96-99, 115, 139-142  
 Plymouth rock, barred, 176, 180  
 Polar body, 40  
 Polytoma, 186  
 Prematuration stage, 142  
 Primary split, 101, 102, 107, 108  
 Primrose, 85  
 Primula floribunda, 150, 151  
   kewensis, 151  
   sinensis, 85, 87, 135, 146, 150  
   verticillata, 150, 151  
 Pristiurus melanostomus, 49  
 Protenor, 55, 56  
 Protozoa, 207  
 Punnett, 70, 85, 115-117, 250  
 Pure culture, 250  
   lines, 204, 211  
 Purple eye, 96, 124, 139-144, 240  
 Pygæra, 161, 163
- Rabbits, albino, 271  
 Rat, black, 271  
   Norway, 271  
   roof, 271  
   yellow, 271, 272  
 Recessive, 23, 25  
 Reduction division, 43, 75, 101  
 Reduplication, 115-117  
 Regeneration, 154  
 Reversal of dominance, 33  
 Riddle, 194, 196, 245  
 Ring dove, 194  
 Robertson, 74, 102, 103, 111-112  
 Rose comb, 68, 69  
 Rosenberg, 160, 161, 256  
 Rotifer, 185, 197, 198  
 Roux, 142  
 Rudimentary wing, 248
- Sable body color, 158, 159  
 Saunders, 85, 254  
 Satsuma, 256  
 Schreiners, 44  
 Scute, 122  
 Sebrights, 243, 244  
 Secondary split, 101, 102  
 Sea urchin, 188, 189  
 Segregation, 16, 23, 39  
 Seiler, 174, 179  
 Selachian egg, 50  
 Selachians, 114  
 Senecio vulgaris, 85  
 Sex, 196-203  
   chromosomes, 42, 57  
   determination, 180  
   genes, 193  
   linked characters, 84  
   ratios, 197-200  
 Shinji, 210  
 Shull, 71  
 Silkworm, 135, 137, 146, 186, 228  
 Simocephalus, 194  
 Smerinthus, 164  
 Single comb, 68, 69  
 Snapdragon, 85, 135, 255  
 Sooty fly, 27  
 Species, 270  
 Speck, 123, 144  
 Spencer, Herbert, 234  
 Spermatogonia, 154  
 Spermatogenesis, 104-110  
 Spermatozoon, 43  
 Sphærechinus, 216, 217  
 Spores, 151  
 Sports, 248  
 Squirrels, albino, 271  
 Star eye, 122, 123  
 Stark, 256  
 Stenotomus, 232  
 Stevens, 145, 165  
 Stocks, 85, 254  
 Stomps, 149, 155  
 Streptopelia abla, 194  
 Strong, 196  
 Strongylocentrotus, 216, 217  
   Franciscanus, 231, 232  
   purpureus, 231, 232

- Sturtevant, 86, 114, 117, 125, 127,  
143-145, 191, 260, 261, 272
- Sundew, 256
- Surface, 85, 135
- Sutton, 16, 256
- Sweet peas, 70, 85
- Synaptic stage, 47
- Syndactyls, 33, 34
- Synizesis stage, 46
- Tadpole, 189
- Tanaka, 86, 135
- Temperature, 96-97, 139-142
- Tennent, 188, 231
- Tetrads, 39, 43, 50, 75, 107, 114
- Tetraploid, 150, 154, 159
- Tettigidea, 111
- Tomatoes, 85
- Tomopteris, 44-46, 100, 113
- Toyama, 191, 192, 228
- Trimerotropsis, 74, 75, 78
- Triploid, 155, 160
- Trow, 117
- Truncate wing, 248
- Turtle dove, 194
- Turtur orientalis, 194
- Twin hybrids, 264
- Variation—in linkage, 139-146
- Variation—in number of chromo-  
somes, 147-164
- Vermilion eye, 158, 159, 248
- Vestigial fly, 63, 81-83, 87-90, 123,  
124
- Vilmorin, 85
- Vinegar fly, 27, 28, 70, 168-170, 172
- Voinov, 74
- Vries, de, 85, 149, 155, 263, 264,  
266, 273
- Walnut comb, 68, 69
- Warren, 85
- Wasps, 198
- Weatherwax, 229
- Weinstein, 127, 129, 131
- Weismann, 234, 235, 242
- Wenrich, 74, 102, 110, 113
- Wheat, 85, 135
- White, O. E., 20, 67, 85, 134
- White-eyed fly, 91-93, 118, 167, 168,  
171-173, 238, 248, 271
- Whiting, 70
- Whitney, 185, 186
- Wilson, E. B., 55, 165
- Winiwarter, 136-137, 170
- Wright, 86, 87
- Xenia, 230
- Yatsu, 135, 137
- Yellow mouse, 257
- Yellow-winged fly, 91, 118, 120, 171-  
173, 190, 250, 272
- Yocom, 137
- Zea mais, 229, 249
- Zygote, 84
- Zygotene stage, 107
- Zygotie lethal, 254, 256