

## INDEX

### A

abnormal abdomen, 302.  
Abraxas, 61, 62, 208, 209, 256.  
absence of genes, 74-77, 85.  
Acer, 170.  
Agar, 264.  
Aida, 222, 223, 226.  
albinos, 65.  
allelomorphs, multiple, 92, 93.  
Allen, 128, 215, 239.  
amphibia, 205.  
Andalusian fowl, 292.  
Angiostomum, 231, 232.  
Anthothrips, 149.  
Antirrhinum, 97, 98.  
Aphelopus, 263.  
aphids, 228, 229, 230.  
Aplocheilus, 223.  
Archieracium, 167.  
Artemia, 108, 109.  
Artom, 108, 109.  
Ascaris, 38, 39, 107, 108, 136, 219, 220.  
atavism, 85.  
Atriplex, 171.  
attached-X, 56-58.  
Avery, 177.  
avian type, 206.

### B

Babcock, 194.  
Bagg, 308, 309, 310.  
Baker, 260.  
balanced genes, 124.  
Baltzer, 139, 265.  
Banta, 264.

bar-eye, 86-91.  
bar-infra-bar, 90, 91.  
barley, 150.  
barnacles, 264.  
Basidiomycetes, 242.  
Bateson, 10, 17, 318.  
Baur, 97, 98.  
bee, 106, 144-146, 214, 235-237.  
Bělař, 213.  
Bellamy, 266.  
Belling, 119-122, 132-134, 177, 180, 182, 185, 186.  
Benoit, 283-285.  
Bensaude, 242.  
bent wings, 86.  
Bidder's organ, 277-279.  
birds, 282-286.  
Blackburn, 158, 214.  
Blakeslee, 118-124, 133, 134, 142, 143, 177-186.  
Boedijn, 110, 188.  
Bonellia, 264, 265.  
Boveri, 38, 108, 142, 145, 220, 231.  
brachydaetyly in man, 64.  
Brecher, 304.  
Bremer, 170.  
Bridges, 79, 80, 135, 136, 175, 241, 252, 253, 256.  
Bufo, 277.  
Buller, 242.  
bullfrog, 269-276.  
Burns, 286.  
butterflies, 206, 304.

### C

Callitriche, 171.  
Campanula, 171.

Canina roses, 159, 163, 164.  
 Canna, 133.  
 Cannabis, 287.  
 Cape bees, 237.  
 Carex, 170, 171.  
 Carothers, 35, 36.  
 Castle, 69, 296-300.  
 cattle, 260.  
 Cavia, 99.  
 Champy, 280.  
 Chapin, 259.  
 chart of chromosomes, 22, 23.  
 chiasmatype, 41.  
 chimaera, 113.  
 chromosome continuity, 37-39.  
 chromosomes and genes, 45-58.  
 chromosomes of *Oenothera gigas*,  
     109.  
 chromosomes of *O. Lamarekiana*,  
     109.  
 chromosomes of sweet pea, 36.  
 chrysanthemums, 168, 169.  
 Clausen, 143, 192, 193.  
 Cleland, 110, 111.  
 Cocklebur, 181, 182.  
 Collins, 194.  
 combs of fowls, 72, 73.  
 Coprinus, 243-245, 248.  
 corn, 82, 83, 85, 124, 196, 296.  
 corn, flinty, 83, 84.  
 corn, floury, 83, 84.  
 Correns, 96, 214, 287, 289.  
 coupling, 17.  
 crayfish, 264.  
 Crepidula, 265.  
 Crepis, 194, 195.  
 Crew, 260, 275, 276, 282.  
 crossing-over, 14-22, 24.  
 Cuénot, 296.  
 Cunningham, 265.  
 curly, 63.

## D

daphnians, 264.  
 Darwin, 67, 298-300, 315.  
 Darwin's pangenesis, 28.  
 Datura, 118, 119, 121, 122, 133,  
     134, 142, 143, 177, 179, 182,  
     183.  
 Davis, 69, 110, 111.  
 Delage, 28.  
 Della Valle, 107.  
 Detlefsen, 98.  
 Dinophilus, 231.  
 Domm, 285.  
 Doncaster, 256.  
 double-bar, 87.  
 double-infra-bar, 87.  
 double-X, 56-58.  
 Drosera, 171, 191.  
*Drosophila melanogaster*, 11-23,  
     40, 41, 47, 48, 50-52, 59, 60,  
     64-66, 70, 75, 84-93, 99-101,  
     104, 135, 136, 175, 201-203,  
     241, 252-254, 293, 302, 303,  
     315.  
*D. obscura*, 103, 104.  
*D. simulans*, 100, 101.  
*D. virilis*, 102, 104.  
 Dürken, 304-306.

## E

East, 96, 246, 249, 296.  
 Ectocarpus, 246, 248.  
 Einkorn, 151-153, 156, 157.  
 Elodea, 212, 213.  
 Emerson, S. H., 190.  
 Emmer wheat, 163-168.  
 endosperm, 82-84.  
 enzymes, 257.  
 Essenberg, 266.  
 Euchlaena, 123, 187.  
 eyeless, 48, 49, 51, 52, 75, 303.

## F

Farnham, 133, 177.  
 Federley, 136, 137, 198, 211.  
 ferns, 214.  
 fish, 205.  
 flowering plants, 212.  
 four-o'clock, 5-7, 301, 302.  
 fowls, 72, 73, 206, 208.  
 free martin, 258.  
 frog's eggs, 139.  
 Fumea, 209, 210.

## G

Galton, 66.  
 gametophyte, 125, 126.  
 Gammarus, 264.  
 Gates, 131, 172, 173.  
 Geerts, 131.  
 Geinitz, 219.  
 Gelei, 43.  
 gemmules, 29.  
 genes, 45-58.  
 germ-plasm, 28, 29.  
 Giard, 262, 263.  
 gipsy moth, 254, 255.  
 Glarydichthys, 266.  
 Goldschmidt, 222, 254-257.  
 Goodale, 282, 283, 285.  
 Goodspeed, 192, 193.  
 Gould, 265.  
 grasshoppers, 35, 36.  
 Gregory, 112.  
 guinea pig, 74, 98, 99, 205, 293,  
 307.  
 Guyénot, 278.

## H

Habrobracon, 237-239.  
 Hance, 314.

Hanna, 242.  
 haplo-IV, 47-49, 81, 176, 177.  
 haploids, 139-149.  
 Hargreaves, 148.  
 Harman, 260.  
 Harms, 266, 278-280.  
 Harris, 281.  
 Harrison, 158.  
 Hartmann, 246-248.  
 hawthorns, 171.  
 Hayes, 296.  
 Heilborn, 170.  
 Helix, 99.  
 hemp, 287-290.  
 hermaphrodites, 260, 264, 265, 275.  
 Hertwig, G., 140.  
 Hertwig, O., 140, 273.  
 Hertwig, R., 269, 272, 273.  
 Hertenstein, 266.  
 Hesperotettix, 221.  
 heteroploids, 172-190.  
 Hieracium, 165-167.  
 Hindle, 149.  
 honey bee, 144.  
 hooded rats, 296-298.  
 horse, 205.  
 Hovasse, 107.  
 Humulus, 212, 213.  
 Hurst, 158, 163, 164.  
 Huxley, 264.  
 hyacinth, 132, 133.  
 Hydatina, 147.  
 Hymenoptera, 206, 241.

## I

ids, 29, 30.  
 Indian corn, 37.  
 infra-bar, 87, 89, 90, 91.  
 infra-bar-bar, 90, 91.  
 insect type, 199.  
 intersex, 136, 252, 253, 254-257.

- J
- Janssens, 41, 42.  
 Jimson weed, 118, 177.  
 Johannsen, 294-296.  
 jungle fowl, 75.  
 Junker, 266-268.
- K
- Keller, 258.  
 Kihara, 151, 152, 154-157, 212.  
 Knip, 242.  
 Kornhauser, 263.  
 Kuschakewitsch, 272.  
 Kuttner, 264.  
 Kuwada, 187.
- L
- Lactuca, 171.  
 Lamarek, 300, 301.  
 Lamarek's theory, 30.  
 Lancefield, 103, 104.  
 Lang, 99.  
 lata types, 70.  
 Lebistes, 222, 226, 228.  
 leghorn fowl, 75.  
 Lepidoptera, 206.  
 Lillie, 258, 259.  
 linear order, 22.  
 linkage, 10-12, 14-20, 24.  
 linkage groups, 22, 23, 36, 48.  
 Little, 308.  
 liverworts, 128, 149, 214-216.  
 Ljungdahl, 197, 198.  
 lobe, 62, 63.  
 Longley, 123, 124, 171, 196.  
 loss of gene, 94.  
 Lutz, Anne, 131, 173.  
 Lygaeus, 200.  
 Lymantria, 255.
- M
- m-chromosome, 105.  
 McClung, 221.  
 MacDowell, 296.  
 McPhee, 287, 289.  
 Magnussen, 258, 259.  
 maize, 124.  
 man, 203, 204, 205.  
 man, eye color, 4, 5.  
 Mangelsdorf, 249.  
 Mann, 143, 194.  
 map of the chromosomes, 22, 23.  
 maples, 170.  
 Marchal, É. and Ém., 125, 126,  
 128, 214, 216, 218, 239.  
 maturation of germ-cells, 33, 34.  
 May, 86.  
 mechanism of crossing-over, 39-  
 44.  
 Mehling, 145.  
 Melandrium, 213, 214.  
 Mendel, 72,  
 Mendel's laws, 1-25, 59.  
 Mercurialis, 290, 291.  
 Metapodium, 105, 106.  
 Metz, 92, 102, 104.  
 Meves, 146.  
 Miastor, 281.  
 mice, 296.  
 Mirabilis, 6.  
 mites, 149.  
 Mohr, 79.  
 de Mol, 124, 132, 133.  
 Morgan, L. V., 82.  
 Morgan, T. H., 88.  
 Morrill, 148.  
 Morus, 169.  
 mosses, 124-128, 149, 214.  
 moths, 206.  
 Mounce, 242.  
 mulberry, 169.

## THE THEORY OF THE GENE

Muller, 112.  
mutant characters, 59-71.  
mutation theory, 67, 68, 95.  
Myxine, 265.

### N

Nachtsheim, 145, 231.  
Nansen, 265.  
Narcissus, 124.  
Nematodes, 206, 231.  
Newell, 237.  
Nicotiana, 96, 143, 144, 192, 193,  
249.  
nightshade, 112-116.  
non-disjunction, 53-55.  
notch wing, 77-81.

### O

oats, 150.  
Oenothera, 105, 131, 132.  
O. franciscana, 111.  
O. gigas, 70, 109, 110.  
O. Lamarekiana, 69, 71, 109, 110,  
172, 187, 188.  
O. lata, 172-174, 189.  
O. semilata, 172, 189.  
Oguma, 205.  
Oligarces, 281.  
Ono, 212.  
opossum, 205.  
Osawa, 169.  
Overeem, van, 131.

### P

Painter, 203, 204.  
pangenesis, 28.  
Papaver, 171, 197, 198.  
parabiotic twins, 286.  
particulate theory of heredity, 26-  
31.  
pea comb, 72, 73, 74.

pea, edible, 2, 7-10, 36, 37.  
pea, sweet, 10, 11.  
Peltogaster, 263.  
Percival, 151.  
Perla, 266-268.  
Pflüger, 267, 272.  
Philippi, 266.  
Phragmatobia, 105, 211.  
Phylloxerans, 228-230.  
physiological units, 28.  
Pick, 260.  
Pieris, 304.  
pigs, 260.  
Planaria, 44.  
planarian crossing-over, 43.  
Plantago, 171.  
Platanthera, 171.  
Poinsettia, 177, 181, 182.  
pollen grains, 10.  
polyploid roses, 158-165.  
Polyploids, 150-171.  
Ponse, 278-280.  
poppy, 197, 198.  
poultry, 207.  
Prange, 260.  
Primula sinensis, 112.  
Pritchard, 287, 288.  
Protenor, 200.  
protonema, 126.  
Punnett, 10, 17, 36.  
Pygaera, 136, 137, 198, 211.

### R

rabbit, albino, 74.  
rabbit, black, 75.  
rabbits, 296, 301.  
radium, 139.  
Rana, 269-276.  
raspberries, 171.  
rats, 74, 296-298, 309.  
recessive characters, 74.

- recurrent mutations, 66.  
 repulsion, 17.  
 retrograde variety, 69.  
 reverse mutations, 85.  
 Riddle, 283.  
 ring dove, 283.  
 Rosa, 163.  
 rose comb, 72, 73, 74.  
 Rosenbergs, 165, 166, 167, 191.  
 roses, 158-165.  
 roofer, 147, 214, 233, 234, 235,  
     241.  
 round worms, 206.  
 Rumex, 212, 213.  
 rye, 150, 158.
- S
- Saccharum, 170.  
 Saeculina, 263.  
 Sakamura, 152.  
 salamander, 286.  
 Santos, 212.  
 Sax, 152, 155, 156.  
 Schaffner, 287.  
 Schleip, 231, 232.  
 Schmidt, 128, 222, 226.  
 Schrader, 148.  
 scute, bristles, 86.  
 sea urchins, 206.  
 Seiler, 105, 209, 210, 220, 256, 314.  
 semi-gigas, 70.  
 semi-lata types, 70.  
 sesquiple mutant type, 189.  
 sex, 199-218, 219.  
 sex-chromosomes, 32, 52-55, 199-  
     218.  
 sex-determination, 219.  
 sex-linkage, 52.  
 sex-linked inheritance, 207, 208.  
 sex reversals, 261-291.  
 Sexton, 264.  
 sheep, 260.  
 Shiwago, 206, 208.  
 Shull, A. F., 149.  
 Shull, G. H., 71, 189, 190.  
 single comb, 73, 74.  
 Sinnott, 180.  
 Smith, G., 262-264.  
 snail, 99.  
 snapdragon, 97.  
 Solenobia, 210.  
 Solanum, 112-114.  
 species, 68.  
 "Species and Varieties," 68.  
 Spemann, 139, 140.  
 Spencer, Herbert, 28.  
 Sphaerocarpus, 239.  
 spider crab, 262.  
 sporophyte, 125, 126.  
 stable type, 124.  
 Stevens, 208.  
 Stockard, 207, 208.  
 Stomps, 70.  
 stone fly, 266.  
 Sturtevant, 88-91, 101, 102, 254.  
 sugar cane, 170.  
 superfemale, 56, 253.  
 supermale, 136, 252.  
 sweet peas, 10, 11, 36, 37.  
 Swingle, 269.
- T
- Täckholm, 158-163.  
 tadpole, 267-276.  
 Tahara, 167-169.  
 Talaeporia, 210.  
 Tandler, 258.  
 Tauson, 233.  
 Taylor, 170.  
 teosinte, 123, 124, 187, 196.  
 tetraploids, 105-130.  
 tetra-type, 176.

Thelia, 263.  
 theories of heredity, 26-31.  
 theory of the gene, 25.  
 thrips, 149.  
 Tischler, 170.  
 toad, 277.  
 tobacco, 96, 249.  
 tomato, 112, 113, 115-117.  
 translocation, 80-82.  
 Trialeurodes, 148.  
 triplo-IV, 50, 51, 175, 176.  
 triploid *Drosophila*, 84.  
 triploid endosperm, 82.  
 triploids, 131-138.  
 trisomic type, 177-189.  
 Triticum, 151, 152.  
 Triton, 140, 280.  
 twins, 258, 286.

## V

Vallisneria, 213, 214.  
 vermilion genes, 81, 82.  
 vestigial, 75.  
 Viola, 171.  
 de Vries, 67, 68, 69, 70, 71, 95,  
 109, 131, 174, 187, 188, 189.  
 Vulgare wheat, 152, 154-157.

## W

walnut comb, 72, 73, 74.  
 wasp, 237.

W-chromosome, 256, 257.  
 Wedge, 182.  
 Weinstein, 102, 104.  
 Weismann, 28-30.  
 Wettstein, 128, 149, 216, 217, 218,  
 239, 242.  
 wheats, polyploids, 150-158.  
 White, O. E., 37.  
 Whiting, Anna R., 239.  
 Whiting, 237-239.  
 Whitney, 147, 233, 234.  
 Williams, 148.  
 Willier, 259.  
 Winge, 214, 222, 223, 226, 227, 228.  
 Winwarter, 203-205.  
 Winkler, 112-118.  
 Wiry, 181, 182.  
 Witschi, 269-276, 280.  
 Wright, 298.

## X

Xiphophorus, 265, 266.

## Y

Yampolsky, 290.  
 Y-chromosome, 52, 105, 222, 239.  
 yellow mice, 64.

## Z

*Zea mays*, 123.  
 Zeleny, 86.